

2008

I. 英文論文

1. 2008 Kitano M, Sakamoto H, Matsui U, Ito Y, Maekawa K, Shrenck T V, **Kudo M**: A novel perfusion imaging technique of the pancreas: contrast-enhanced harmonic EUS (with video). **Gastrointest Endoscopy** 67: 141-150, 2008.
2. 2008 Tsuji N, Ishiguro S, Umehara Y, **Kudo M**: Mixed intestinal- and diffuse-type histology is a risk factor for lymph node metastasis of submucosal invasive gastric cancer. **Digest Endosc** 20: 17-21, 2008.
3. 2008 Kitano M, **Kudo M***, Sakamoto H, Nakatani T, Maekawa K, Mizuguchi N, Ito Y, Miki M, Matsui U, Shrenck T V: Preliminary study of contrast-enhanced harmonic endosonography with second-generation contrast agents. **J Med Ultrasonics** 35: 11-18, 2008.
4. 2008 Eguchi S, Kanematsu T, Arii S, Okazaki M, Okita K, Omata M, Ikai I, **Kudo M**, Kojiro M, Makuuchi M, Monden M, Matsuyama Y, Nakamura Y, Takayasu K; The Liver Cancer Study Group of Japan: Comparison of the outcomes between an anatomical subsegmentectomy and a non-anatomical minor hepatectomy for single hepatocellular carcinomas based on a Japanese nationwide survey. **Surgery** 143: 469-475, 2008.
5. 2008 Nakatani T, Honda E, Hayakawa S, Sato M, Satoh K, **Kudo M**, Munakata H: Effects of decorin on the expression of α -smooth muscle actin in a human myofibroblast cell line. **Mol Cell Biochem** 308: 201-207, 2008.
6. 2008 Watanabe T, **Kudo M***, Chiba T, Wakatsuki Y: Molecular mechanisms of portal vein tolerance. **Hepatol Res** 38: 441-449, 2008.
7. 2008 Chung H, **Kudo M***, Takahashi S, Hagiwara S, Sakaguchi Y, Inoue T, Minami Y, Ueshima K, Fukunaga T, Matsunaga T: Comparison of three current staging systems for hepatocellular carcinoma: Japan integrated staging score, new Barcelona clinic liver cancer staging classification, and Tokyo score. **J Gastroenterol Hepatol** 23: 445-452, 2008.

8. 2008 Taniguchi M, Kim SR, Imoto S, Ikawa H, Ando K, Mita K, Fuki S, Sasase N, Matsuoka T, **Kudo M**, Hayashi Y: Long-term outcome of percutaneous ethanol injection therapy for minimum-sized hepatocellular carcinoma. **World J Gastroenterol** 14: 1997–2002, 2008.
9. 2008 Minami Y, Chung H, **Kudo M**, Kitai S, Takahashi S, Inoue T, Ueshima K, Shiozaki H: Radiofrequency ablation of hepatocellular carcinoma: value of virtual CT sonography with magnetic navigation. **AJR Am J Roentgenol** 190:W335–341, 2008.
10. 2008 **Kudo M***, Zheng RQ, Kim SR, Okabe Y, Osaki Y, Iijima H, Itani T, Kasugai H, Kanematsu M, Ito K, Usuki N, Shimamatsu K, Kage M, Kojiro M: Diagnostic accuracy of imaging for liver cirrhosis compared to histologically proven liver cirrhosis. **Intervirolgy** 51: S17–S26, 2008.
11. 2008 Tatsumi C, **Kudo M***, Ueshima K, Kitai S, Takahashi S, Inoue T, Minami Y, Chung H, Maekawa K, Fujimoto K, Tonomura A, Mitake T: Noninvasive evaluation of hepatic fibrosis using serum fibrotic markers, transient elastography (FibroScan), and real-time tissue. **Intervirolgy** 51: S27–S33, 2008.
12. 2008 Hatanaka K, **Kudo M***, Minami Y, Ueda T, Tatsumi C, Kitai S, Takahashi S, Inoue T, Hagiwara S, Chung H, Ueshima K, Maekawa K: Differential diagnosis of hepatic tumors: value of contrast-enhanced harmonic sonography using the newly developed contrast agent, Sonazoid. **Intervirolgy** 51: S61–S69, 2008.
13. 2008 Sasase N, Kim SR, Kim KI, Taniguchi M, Imoto S, Mita K, Hotta H, Shouji I, EI-Shamy A, Kawada N, **Kudo M**, Hayashi Y: Usefulness of a new immunoradiometric assay of HCV core antigen to predict virological response during PEG-IFN/RBV combination therapy for chronic hepatitis with high viral load of serum HCV RNA genotype 1b. **Intervirolgy** 51: S70–S75, 2008.
14. 2008 Nagashima M, **Kudo M***, Chung H, Ishikawa E, Inoue T, Nakatani T, Dote K: Elevated serum ALT levels during pegylated interferon monotherapy may be caused by hepatic iron overload. **Intervirolgy** 51: S76–S85, 2008.
15. 2008 Kitai S, **Kudo M***, Minami Y, Ueshima K, Chung H, Hagiwara S, Inoue T, Ishikawa E, Takahashi S, Asakuma Y, Haji S, Osaki Y, Oka H, Seki T, Kasugai H, Sasaki

Y, Matsunaga T: A new prognostic staging system for hepatocellular carcinoma: value of the biomarker combined Japan integrated staging score. **Intervirolgy** 51: S86-S94, 2008.

16. 2008 Sakamoto H, Kitano M, Suetomi Y, Maekawa K, Takeyama Y, **Kudo M**: Utility of contrast-enhanced endoscopic ultrasonography for diagnosis of small pancreatic carcinomas. **Ultrasound Med Biol** 34: 525-532, 2008.
17. 2008 **Kudo M***, Hatanaka K, Maekawa K: Sonazoid-enhanced ultrasound in the diagnosis and treatment of hepatic tumors. **J Med Ultrasound** 16: 130-139, 2008.
18. 2008 Toyoda H, Kumada T, Kaneoka Y, Osaki Y, Kimura T, Arimoto A, Oka H, Yamazaki O, Manabe T, Urano F, Chung H, **Kudo M**, Matsunaga T: Prognostic value of pretreatment levels of tumor markers for hepatocellular carcinoma on survival after curative treatment of patients with HCC. **J Hepato** 49: 223-232, 2008.
19. 2008 Fukase K, Kato M, Kikuchi S, Inoue K, Uemura N, Okamoto S, Terao S, Amagai K, Hayashi S, Asaka M, Inatsuchi S, Arakawa T, Sakaki N, Kato T, Watanabe Y, Ohara S, Aida S, Iijima K, Nasu J, Doi T, Endo H, Shirai T, Takagi A, Inaba T, Aoyama N, Shirasaka D, Azuma T, Ishihata R, Chiba T, Nishio A, Yazumi S, Kawanami T, Sawada M, Konda Y, Okazaki K, Nakamura T, Komatsu H, Miwa J, Kaise M, Kamoshida T, Yagi K, Sato H, Fuke H, Sone Y, Satoh K, Kihara K, Kawata H, Sugano K, Fujisaki J, Ynaka A, Nakajima S, Nomura H, Mizuno M, Okada H, Furukawa K, Yamazaki Y, Kagaya T, Kasugai K, Joh T, Sasaki M, Harada K, Tsutsumi T, Aoyagi K, Maeda K, Mizumachi S, Suzuki M, Furuta T, Shirai N, Suwaki K, Matsuda M, Satomura Y, Miura M, Takahashi S, Imoto I, Horiki N, Sugiyama A, Kato T, Isomoto H, Murakami K, Fujioka T, Sugihara M, Goto H, Matsui S, Nakayama J, Katsuyama T, Sugiyama T, Haruma K, Tominaga S: Effect of eradication of *Helicobacter pylori* on incidence of metachronous gastric carcinoma after endoscopic resection of early gastric cancer: an open-label, randomised controlled trial. **Lancet** 372: 392-397, 2008.
20. 2008 Matsui S, **Kudo M***, Ichikawa T, Okada M, Miyabe Y: The clinical characteristics, endoscopic treatment and prognosis for patients presenting with duodenal varices. **Hepato-Gastroenterol** 55: 959-962, 2008.
21. 2008 Umehara Y, **Kudo M***, Kawasaki M: Endoscopic findings can predict the efficacy

of leukocytapheresis for steroid-naive patients with moderately active ulcerative colitis. **World J Gastroenterol** 14: 5316-5321, 2008.

22. 2008 **Kudo M***, Hatanaka K, Maekawa K: Defect reperfusion imaging, a newly developed novel technology using Sonazoid in the treatment of hepatocellular carcinoma. **J Med Ultrasound** 16: 169-176, 2008.
23. 2008 Ogawa C, **Kudo M***, Minami Y, Chung H, Kawasaki T: Tumor markers after radiofrequency ablation therapy for hepatocellular carcinoma. **Hepato-Gastroenterol** 55: 1454-1457, 2008.
24. 2008 **Kudo M***, Zheng RQ, Chung H, Yonekura T, Yagi M, Nakashima O, Kojiro M: Long-term follow-up of atypical progressive focal nodular hyperplasia increasing in size and number implicates its pathogenesis. **Am J Gastroenterol** 103: 2153-2155, 2008.
25. 2008 Hasegawa K, Kakuuchi M, Takayama T, Kokudo N, Arii S, Okazaki M, Okita K, Omata M, **Kudo M**, Kojiro M, Nakanuma Y, Takayasu K, Monden M, Matsuyama Y, Ikai I: for the Liver Cancer Study Group of Japan: Surgical resection vs. percutaneous ablation for hepatocellular carcinoma: a preliminary report of the Japanese nationwide survey. **J Hepatol** 49: 589-594, 2008.
26. 2008 Takahashi S, Chung H, Kitai S, Inoue T, Minami Y, Usehima K, **Kudo M***: Foreign body granuloma mimicking disseminated tumor recurrence after radiofrequency ablation for hepatocellular carcinoma. **Liver Int** 28: 414-415, 2008.
27. 2008 Suetomi Y, Kitano M, **Kudo M**, Sakamoto H, Maekawa K: Evaluation of therapeutic response to gemcitabine in pancreatic cancer. **Hepato-Gastroenterol** 55: 1785-1788, 2008.
28. 2008 Madan K, **Kudo M***, Fukuta N: Multistep progression from a hypovascular nodule to a nodule-in-nodule type hepatocellular carcinoma in hepatitis C-related cirrhosis. **Indian J Gastroenterol** 27: 176, 2008.
29. 2008 Sakamoto H, Kitano M, Dote K, Chickugo T, Takeyama Y, **Kudo M**: In situ carcinoma of pancreas diagnosed by EUS-FNA. **Endoscopy** 40: E15-16, 2008.

30. 2008 Ishikawa E, Kudo M*, Minami Y, Ueshima K, Chung H, Hayaishi S, Maekawa K: Intracystic hemorrhage in a patient of polycystic kidney with renocolic fistula diagnosed by contrast-enhanced ultrasonography. **Internal Med** 47: 1977-1979, 2008.
31. 2008 Kudo M: Hepatocellular carcinoma 2009 and beyond: from the surveillance to molecular targeted therapy. **Oncology** 75: S1-12, 2008.
32. 2008 Kim SR, Kudo M, Hino O, Han KH, Chung YH, Lee HS: Epidemiology of hepatocellular carcinoma in Japan and Korea. **Oncology** 75: S13-16, 2008.
33. 2008 Kudo M*: Impact of interferon therapy after curative treatment of hepatocellular carcinoma. **Oncology** 75: S30-41, 2008.
34. 2008 Hatanaka K, Kudo M, Minami Y, Maekawa K: Sonazoid-enhanced ultrasonography for diagnosis of hepatic malignancies: comparison with contrast-enhanced CT. **Oncology** 75: S42-47, 2008.
35. 2008 Inoue T, Kudo M, Hatanaka K, Takahashi S, Kitai S, Ueda T, Ishikawa E, Hagiwara S, Minami Y, Chung H, Ueshima K, Maekawa K: Imaging of hepatocellular carcinoma: qualitative and quantitative analysis of post-vascular phase contrast-enhanced US with Sonazoid; comparison with superparamagnetic iron oxide magnetic resonance images. **Oncology** 75: S48-54, 2008.
36. 2008 Kudo M, Tochio H: Intranodular blood supply correlates well with biological malignancy grade determined by tumor growth rate in pathologically proven hepatocellular carcinoma. **Oncology** 75: S55-64, 2008.
37. 2008 Kitai S, Kudo M, Minami Y, Haji S, Osaki Y, Oka H, Seki T, Kasugai H, Sasaki Y, Matsunaga T: Validation of a new prognostic staging system for hepatocellular carcinoma: a comparison of the biomarker combined Japan integrated staging (JIS) score, the conventional JIS score and the BALAD score. **Oncology** 75: S83-90, 2008.
38. 2008 Takahashi S, Kudo M, Chung H, Inoue T, Ishikawa E, Kitai S, Tatsumi C, Ueda T, Nagai T, Minami Y, Ueshima K: PIVKA-II is the best prognostic predictor in patients with hepatocellular carcinoma after radiofrequency ablation therapy.

Oncology 75: S91-98, 2008.

39. 2008 Xia Y, Kudo M, Minami Y, Hatanaka K, Ueshima K, Chung H, Hagiwara S, Inoue T, Ishikawa E, Kitai S, Takahashi S, Tatsumi C, Ueda T, Hayaishi S, Maekawa K: Response evaluation of transcatheter arterial chemoembolization in hepatocellular carcinomas: the usefulness of Sonazoid-enhanced harmonic sonography. **Oncology** 75: S99-105, 2008.
40. 2008 Ueshima K, Kudo M*, Tatsumi C, Ueda T, Takahashi S, Kitai S, Ishikawa E, Inoue T, Minami Y, Chung H: Combination therapy with S-1 and pegylated interferon alpha for advanced hepatocellular carcinoma. **Oncology** 75: S106-113, 2008.
41. 2008 Kim SR, Imoto S, Ikawa H, Ando K, Mita K, Shimizu K, Taniguchi M, Sasase N, Matsuoka T, Kudo M, Kawada N, Hayashi Y: Focal nodular hyperplasia-like lesion with venous washout in alcoholic liver cirrhosis. **Intern Med** 47: 1899-1903, 2008.
42. 2008 Ishikawa E, Kudo M, Minami Y, Ueshima K, Chung H, Hayaishi S, Maekawa K: Intracystic hemorrhage in a patient of polycystic kidney with renocolic fistula diagnosed by contrast-enhanced ultrasonography. **Intern Med** 47: 1977-1979, 2008.