

主要論文リスト（２０２２年度まで）

英文総説

1. Dysmenorrhea and PTSD

Takeda T

Comprehensive Guide to Post-Traumatic Stress Disorder (Springer International Publishing Switzerland 2015)

英文原著論文

1. Current status and problems in the diagnosis and treatment of premenstrual syndrome and premenstrual dysphoric disorder from the perspective of obstetricians and gynecologists in Japan.

Kana Yoshimi, Fumi Inoue, Tamami Odai, Nahoko Shirato, Zen Watanabe, Tempei Otsubo, Masakazu Terauchi, Takashi Takeda

The journal of obstetrics and gynaecology research 2023 年 2 月 23 日

2. Association Between Loneliness, Premenstrual Symptoms, and Other Factors During the COVID-19 Pandemic: A Cross-Sectional Study with Japanese High School Students.

Takashi Takeda, Kana Yoshimi, Sayaka Kai, Fumi Inoue

International journal of women's health 15 655-664 2023 年

3. Premenstrual disorders: Premenstrual syndrome and premenstrual dysphoric disorder.

Takashi Takeda

The journal of obstetrics and gynaecology research 2022 年 11 月 1 日

4. Evaluation of a natural S-equol supplement in treating premenstrual symptoms and the effect of the gut microbiota: An open-label pilot study.

Takashi Takeda, Yasutaka Chiba

Neuropsychopharmacology reports 2022 年 2 月 6 日

5. Prevalence of Premenstrual Syndrome and Premenstrual Dysphoric Disorder among Mongolian College Students

Yanjmaa Enkhjargal, Ogawa Shota, Tsogbadrakh Basbish, Khurelbaatar Tsetsegsuren, Khuyagbaatar Enkhchimeg, Nasanjargal Tsetsgee, Hayashi Kunihiro, Takeda Takashi, Oidov Batgerel, Shinozaki Hiromitsu

The Kitakanto Medical Journal 72(1) 43-48 2022 年 2 月

6. Development and Psychometric Testing of a New Short-Form of the Premenstrual Symptoms Questionnaire (PSQ-S).

Takashi Takeda, Kana Yoshimi, Sayaka Kai, Fumi Inoue

International journal of women's health 14 899-911 2022 年

7. Association of fish intake with menstrual pain: A cross-sectional study of the Japan Environment and Children's Study.

Emi Yokoyama, Takashi Takeda, Zen Watanabe, Noriyuki Iwama, Michihiro Satoh, Takahisa Murakami, Kasumi Sakurai, Naomi Shiga, Nozomi Tatsuta, Masatoshi Saito, Masahito Tachibana, Takahiro Arima, Shinichi Kuriyama, Hirohito Metoki, Nobuo Yaegashi

PloS one 17(7) e0269042 2022 年

8. Characteristics of the gut microbiota in women with premenstrual symptoms: A cross-sectional study.

Takashi Takeda, Kana Yoshimi, Sayaka Kai, Genki Ozawa, Keiko Yamada, Keizo Hiramatsu
PloS one 17(5) e0268466 2022 年

9. When and how do adolescent girls in Japan become aware of premenstrual symptoms from menarche? A cross-sectional study among senior high school students.
Kana Yoshimi, Noriomi Matsumura, Takashi Takeda
BMJ open 11(8) e045215 2021 年 8 月 26 日
10. The delivery of a placenta/fetus with high gonadal steroid production contributes to postpartum depressive symptoms.
Saya Kikuchi, Natsuko Kobayashi, Zen Watanabe, Chiaki Ono, Takashi Takeda, Hidekazu Nishigori, Nobuo Yaegashi, Takahiro Arima, Kunihiro Nakai, Hiroaki Tomita
Depression and anxiety 38(4) 422-430 2021 年 1 月 4 日
11. Association Between Serious Psychological Distress and Loneliness During the COVID-19 Pandemic: A Cross-Sectional Study with Pregnant Japanese Women.
Takashi Takeda, Kana Yoshimi, Sayaka Kai, Fumi Inoue
International journal of women's health 13 1087-1093 2021 年
12. Association between Premenstrual Symptoms and Posttraumatic Stress Symptoms by COVID-19: A Cross-Sectional Study with Japanese High School Students.
Takashi Takeda, Sayaka Kai, Kana Yoshimi
The Tohoku journal of experimental medicine 255(1) 71-77 2021 年
13. Psychometric Testing of the Japanese Version of the Daily Record of Severity of Problems Among Japanese Women.
Takashi Takeda, Sayaka Kai, Kana Yoshimi
International journal of women's health 13 361-367 2021 年
14. A Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial to Investigate the Effects of Kamishoyosan, a Traditional Japanese Medicine, on Menopausal Symptoms: The KOSMOS Study.
Kiyoshi Takamatsu, Mariko Ogawa, Satoshi Obayashi, Takashi Takeda, Masakazu Terauchi, Tsuyoshi Higuchi, Kiyoko Kato, Toshiro Kubota
Evidence-based complementary and alternative medicine : eCAM 2021 8856149-8856149 2021 年
15. Internet addiction belief, but not Internet use time, is independently associated with menstrual pain severity and interference to social life among adolescents. a cross-sectional study
Keiko Yamada, Yasuhiko Kubota, Catherine Pare, Takashi Takeda
BRITISH JOURNAL OF PAIN 2020 年 9 月
16. Pain medications during pregnancy: data from the Japan environment and children's study.
Keiko Yamada, Takashi Kimura, Satoyo Ikehara, Meishan Cui, Yasuhiko Kubota, Kenta Wakaizumi, Takashi Takeda, Hiroyasu Iso
Journal of anesthesia 34(2) 202-210 2020 年 4 月
17. Associations between sleep habits and interference of premenstrual symptoms in athletic performance in Japanese adolescent athletes: a cohort study over a 2-year period.
Takashi Takeda, Kana Yoshimi, Yoko Imoto, Masami Shiina
Gynecological endocrinology : the official journal of the International Society of Gynecological Endocrinology 1-5 2020 年 3 月 3 日
18. Psychometric Testing of the Premenstrual Symptoms Questionnaire and the Association Between Perceived Injustice and Premenstrual Symptoms: A Cross-Sectional Study Among Japanese High

School Students.

Takashi Takeda, Kana Yoshimi, Keiko Yamada

International journal of women's health 12 755-763 2020 年

19. **Effects of Kamishoyosan, a Traditional Japanese Medicine, on Menopausal Symptoms: A Randomized, Placebo-Controlled, Double-Blind Clinical Trial.**

Kiyoshi Takamatsu, Mariko Ogawa, Tsuyoshi Higuchi, Takashi Takeda, Kunihiro Hayashi, Hideki Mizunuma

Evidence-based complementary and alternative medicine : eCAM 2020 9285317-9285317 2020 年

20. **Lifestyle factors associated with premenstrual syndrome: a cross-sectional study of Japanese high school students.**

Yoshimi K, Shiina M, Takeda T

Journal of pediatric and adolescent gynecology 2019 Dec;32(6):590-595. 2019 年 9 月

21. **Antidepressive Effects of Kamishoyosan through 5-HT_{1A} Receptor and PKA-CREB-BDNF Signaling in the Hippocampus in Postmenopausal Depression-Model Mice.**

Shimizu S, Ishino Y, Takeda T, Tohyama M, Miyata S

Evidence-based complementary and alternative medicine : eCAM 2019 9475384 2019 年

22. **Developing a Japanese version of the Injustice Experience Questionnaire-chronic and the contribution of perceived injustice to severity of menstrual pain: a web-based cross-sectional study.**

Yamada K, Adachi T, Kubota Y, Takeda T, Iseki M

BioPsychoSocial medicine 13 17 2019 年

23. **Preconception dysmenorrhea as a risk factor for psychological distress in pregnancy: The Japan Environment and Children's Study.**

Watanabe Z, Nishigori H, Tanoue K, Tanaka K, Iwama N, Satoh M, Murakami T, Nishigori T, Mizuno S, Sakurai K, Ishikuro M, Obara T, Tatsuta N, Saito M, Tachibana M, Fujiwara I, Arima T, Takeda T, Kuriyama S, Nakai K, Yaegashi N, Metoki H, Japan Environment & Children's Study Group.

Journal of affective disorders 245 475-483 2018 年 11 月

24. **Effectiveness of natural S-equol supplement for premenstrual symptoms: protocol of a randomised, double-blind, placebo-controlled trial.**

Takeda T, Shiina M, Chiba Y

BMJ open 8(7) e023314 2018 年 7 月

25. **Low Proportion of Dietary Plant Protein among Athletes with Premenstrual Syndrome-Related Performance Impairment.**

Yamada K, Takeda T

The Tohoku journal of experimental medicine 244(2) 119-122 2018 年 2 月

26. **Effect of an educational program on adolescent premenstrual syndrome: lessons from the Great East Japan Earthquake.**

Takeda T, Shiina M

Adolescent health, medicine and therapeutics 9 95-101 2018 年

27. **Royal Jelly Supplementation Improves Menopausal Symptoms Such as Backache, Low Back Pain,**

and Anxiety in Postmenopausal Japanese Women.

Asama T, Matsuzaki H, Fukushima S, Tatefuji T, Hashimoto K, Takeda T

Evidence-based complementary and alternative medicine : eCAM 2018 4868412 2018 年

- 28. Premenstrual symptoms interference and equol production status in Japanese collegiate athletes: A cross-sectional study.**

Takeda T, Ueno T, Uchiyama S, Shiina M

The journal of obstetrics and gynaecology research 2017 年 12 月

- 29. Stress fracture and premenstrual syndrome in Japanese adolescent athletes: a cross-sectional study.**

Takeda T, Imoto Y, Nagasawa H, Takeshita A, Shiina M

BMJ open 6(10) e013103 2016 年 10 月

- 30. Additional data to 'Relation between premenstrual syndrome and equol-production status'.**

Takeda T

The journal of obstetrics and gynaecology research 2016 年 8 月

- 31. Relation between premenstrual syndrome and equol-production status.**

Takeda T, Ueno T, Uchiyama S, Hiramatsu K, Shiina M

The journal of obstetrics and gynaecology research 2016 年 6 月

- 32. Fish Consumption and Premenstrual Syndrome and Dysphoric Disorder in Japanese Collegiate Athletes.**

Takeda T, Imoto Y, Nagasawa H, Takeshita A, Shiina M

Journal of pediatric and adolescent gynecology 29(4) 386-389 2016 年 2 月

- 33. The prevalence and risk factors of school absenteeism due to premenstrual disorders in Japanese high school students-a school-based cross-sectional study.**

Tadakawa M, Takeda T, Monma Y, Koga S, Yaegashi N

BioPsychoSocial medicine 10 13 2016 年

- 34. Questionnaire-Based Development of an Educational Program of Traditional Japanese Kampo Medicine.**

Takayama S, Ishii S, Takahashi F, Saito N, Arita R, Kaneko S, Watanabe M, Kamiya T, Watanabe H, Nishikawa H, Ikeno Y, Tanaka J, Ohsawa M, Kikuchi A, Numata T, Kuroda H, Abe M, Takeda T, Yaegashi N, Ishii T

The Tohoku journal of experimental medicine 240(2) 123-130 2016 年

- 35. Effectiveness of ethinylestradiol/drospirenone for premenstrual symptoms in Japanese patients with dysmenorrhea: Open-label pilot study.**

Takeda T, Kondo A, Koga S, Hayakawa J, Hayakawa K, Hiramatsu K, Yaegashi N

The journal of obstetrics and gynaecology research 41(10) 1584-1590 2015

- 36. Psychological distress during pregnancy in Miyagi after the Great East Japan Earthquake: The**

Japan Environment and Children's Study.

Watanabe Z, Iwama N, Nishigori H, Nishigori T, Mizuno S, Sakurai K, Ishikuro M, Obara T, Tatsuta N, Nishijima I, Fujiwara I, Nakai K, Arima T, Takeda T, Sugawara J, Kuriyama S, Metoki H, Yaegashi N, Japan Environment & Children's Study Group Journal of affective disorders 190 341-348 2015

- 37. The Kampo Medicine Yokukansan Decreases MicroRNA-18 Expression and Recovers Glucocorticoid Receptors Protein Expression in the Hypothalamus of Stressed Mice.**

Shimizu S, Tanaka T, Takeda T, Tohyama M, Miyata S
BioMed research international 2015 797280 2015

- 38. Proliferative effect of Hachimijiogan, a Japanese herbal medicine, in C2C12 skeletal muscle cells.**

Takeda T, Tsuiji K, Li B, Tadakawa M, Yaegashi N
Clinical interventions in aging 10 445-451 2015

- 39. Premenstrual syndrome and premenstrual dysphoric disorder in Japanese collegiate athletes.**

Takeda T, Imoto Y, Nagasawa H, Muroya M, Shiina-Hirano M. Journal of Pediatric and Adolescent Gynecology. 2015 Aug;28(4):215-8.

- 40. The anti-diabetic drug metformin inhibits vascular endothelial growth factor expression via the mammalian target of rapamycin complex 1/hypoxia-inducible factor-1 α signaling pathway in ELT-3 cells.**

Tadakawa M, Takeda T, Li B, Tsuiji K, Yaegashi N. Mol Cell Endocrinol. 2015;399:1-8. Epub 2014 Aug 29

- 41. Curcumin targets the AKT-mTOR pathway for uterine leiomyosarcoma tumor growth suppression.**

Wong TF, Takeda T, Li B, Tsuiji K, Kondo A, Tadakawa M, Nagase S, Yaegashi N.
Int J Clin Oncol. 2014;19(2):354-63.

- 42. Relationship between Dysmenorrhea and Posttraumatic Stress Disorder in Japanese High School Students 9 Months after the Great East Japan Earthquake.**

Takeda T, Tadakawa M, Koga S, Nagase S, Yaegashi N.
J Pediatr Adolesc Gynecol. 2013 Dec;26(6):355-7.

- 43. Premenstrual symptoms and posttraumatic stress disorder in Japanese high school students 9 months after the great East-Japan earthquake.**

Takeda T, Tadakawa M, Koga S, Nagase S, Yaegashi N.
Tohoku J Exp Med. 2013;230(3):151-4.

- 44. Curcumin induces cross-regulation between autophagy and apoptosis in uterine leiomyosarcoma cells.**

Li B, Takeda T, Tsuiji K, Wong TF, Tadakawa M, Kondo A, Nagase S, Yaegashi N.

Int J Gynecol Cancer. 2013 Jun;23(5):803-8.

45. **The antidiabetic drug metformin inhibits uterine leiomyoma cell proliferation via an AMP-activated protein kinase signaling pathway.**

Li B, Takeda T, Tsuiji K, Kondo A, Kitamura M, Wong TF, Yaegashi N.
Gynecol Endocrinol. 2013 Jan;29(1):87-90.

46. **Epigallocatechin-3-gallate potentiates curcumin's ability to suppress uterine leiomyosarcoma cell growth and induce apoptosis.**

Kondo A, Takeda T, Li B, Tsuiji K, Kitamura M, Wong TF, Yaegashi N.
Int J Clin Oncol. 2013 Jun;18(3):380-8.

47. **The antidiabetic drug metformin inhibits uterine leiomyoma cell proliferation via an AMP-activated protein kinase signaling pathway.**

Li B, Takeda T, Tsuiji K, Kondo A, Kitamura M, Wong TF, Yaegashi N.
Gynecol Endocrinol. 2012

48. **Development of a questionnaire for the diagnosis of Qi stagnation.**

Okitsu R, Iwasaki K, Monma Y, Takayama S, Kaneko S, Shen G, Watanabe M, Kamiya T, Matsuda A, Kikuchi A, Takahashi S, Seki T, Nagase S, Takeda T, Moon SK, Jung WS, Park SU, Cho K, Yaegashi N, Choi SH.
Complement Ther Med. 2012 ;20(4):207-17.

49. **Estrogen formulations and beauty care practices in Japanese women.**

Takeda T, Wong TF, Kitamura M, Yaegashi N.
Int J Womens Health. 2012;4:19-24.

50. **Guidelines for office gynecology in Japan: Japan Society of Obstetrics and Gynecology (JSOG) and Japan Association of Obstetricians and Gynecologists (JAOG) 2011 edition**

Takashi Takeda, Tze Fang Wong, Tomoko Adachi, Kiyoshi Ito, Shigeki Uehara, Yasushi Kanaoka, Masaharu Kamada, Hiroaki Kitagawa, Satoshi Koseki, Hideto Gomibuchi, Juichiro Saito, Kazuhiro Shirasu, Kou Sueoka, Mitsuhiro Sugimoto, Mitsuaki Suzuki, Toshiyuki Sumi, Satoru Takeda, Keiichi Tasaka, Yasuyuki Noguchi, Shunsaku Fujii, Tsuneo Fujii, Michihisa Fujiwara, Tsugio Maeda, Koji Matsumoto, Mikio Momoeda, Mineto Morita, Kazuaki Yoshimura, Yasuo Hirai, Toshiro Kubota, Noriaki Sakuragi, Masakiyo Kawabata, Hiroyuki Yoshikawa, Hiroshi Kobayashi, Nobuo Yaegashi.
Journal of Obstetrics and Gynecology .2012;38(4):615-31

51. **Relationship between premenstrual symptoms and dysmenorrhea in Japanese high school students**

Mari Kitamura ,Takashi Takeda , Shoko Koga, Satoru Nagase, Nobuo Yaegashi.
Arch Womens Ment Health 2012;15(2):131-3

52. **Curcumin disrupts uterine leiomyosarcoma cells through AKT-mTOR pathway inhibition.**

Wong TF, Takeda T, Li B, Tsuiji K, Kitamura M, Kondo A, Yaegashi N.
Gynecol Oncol. 2011;122(1):141-8.

53. **Perceptions and attitudes of Japanese gynecologic cancer patients to Kampo (Japanese herbal) medicines.**
Takeda T, Yamaguchi T, Yaegashi N.
Int J Clin Oncol. 2012;17:143-9.
54. **Prevalence of premenstrual syndrome and premenstrual dysphoric disorder in Japanese high school students.**
Takeda T, Koga S, Yaegashi N.
Arch Womens Ment Health. 2010;13(6):535-7.
55. **Establishment of a Novel Xenograft Model for Human Uterine Leiomyoma in Immunodeficient Mice**
Tsuiji K, Takeda T, Li B, Kondo A, Ito M, Yaegashi N.
Tohoku J Exp Med. 2010;222(1):55-61.
56. **Inhibitory effect of curcumin on uterine leiomyoma cell proliferation.**
Tsuiji K, Takeda T, Li B, Wakabayashi A, Kondo A, Kimura T, Yaegashi N.
Gynecol Endocrinol. 2011;27(7):512-7.
57. **Prognostic factors for survival in patients with recurrent cervical cancer previously treated with radiotherapy.**
Mabuchi S, Isohashi F, Yoshioka Y, Temma K, Takeda T, Yamamoto T, Enomoto T, Morishige K, Inoue T, Kimura T.
Int J Gynecol Cancer. 2010;20(5):834-40.
58. **Antiproliferative effect of adiponectin on rat uterine leiomyoma ELT-3 cells.**
Wakabayashi A, Takeda T, Tsuiji K, Li B, Sakata M, Morishige KI, Yaegashi N, Kimura T.
Gynecol Endocrinol. 2011;27(1):33-8.
59. **Dietary patterns associated with fall-related fracture in elderly Japanese: a population based prospective study.**
Monma Y, Niu K, Iwasaki K, Tomita N, Nakaya N, Hozawa A, Kuriyama S, Takayama S, Seki T, Takeda T, Yaegashi N, Ebihara S, Arai H, Nagatomi R, Tsuji I.
BMC Geriatr. 2010; 1;10:31
60. **Concurrent Weekly Nedaplatin, External Beam Radiotherapy and High-Dose-Rate Brachytherapy in Patients with FIGO Stage IIb Cervical Cancer: A Comparison with a Cohort Treated by Radiotherapy Alone.**
Mabuchi S, Ugaki H, Isohashi F, Yoshioka Y, Temma K, Yada-Hashimoto N, Takeda T, Yamamoto T, Yoshino K, Nakajima R, Kuragaki C, Morishige K, Enomoto T, Inoue T, Kimura T.

Gynecol Obstet Invest. 2010; 7:69(4):224-232.

61. ○Aldosterone stimulates the proliferation of uterine leiomyoma

Isobe A, Takeda T, Wakabayashi A, Tsuiji K, Li B, Sakata M, Yaegashi N, Kimura T.

Gynecol Endocrinol. 2010 ;26(5):372-7.

62. ○Metal Transcription Factor-1 is Involved in Hypoxia-Dependent Regulation of Placenta Growth Factor in Trophoblast-Derived Cells.

Nishimoto F, Sakata M, Minekawa R, Okamoto Y, Miyake A, Isobe A, Yamamoto T, Takeda T, Ishida E, Sawada K, Morishige KI, Kimura T.

Endocrinology. 2009;150(4):1801-8.

63. ○Up-regulation of {alpha}5-integrin by E-cadherin loss in hypoxia and its key role in the migration of extravillous trophoblast cells during early implantation.

Arimoto-Ishida E, Sakata M, Sawada K, Nakayama M, Nishimoto F, Mabuchi S, Takeda T, Yamamoto T, Isobe A, Okamoto Y, Lengyel E, Suehara N, Morishige KI, Kimura T. Endocrinology. 2009;150(9):4306-15.

64. ○Repressive effect of the phytoestrogen genistein on estradiol-induced uterine leiomyoma cell proliferation

Miyake A, Takeda T, Isobe A, Wakabayashi A, Nishimoto F, Morishige KI, Sakata M, Kimura T. Gynecological Endocrinology. 2009; 25(6): 403–409

65. Changes of Blood Flow Volume in the Superior Mesenteric Artery and Brachial Artery with Abdominal Thermal Stimulation.

Takayama S, Seki T, Watanabe M, Takashima S, Sugita N, Konno S, Takeda T, Arai H, Yambe T, Yaegashi N, Yoshizawa M, Maruyama S, Nitta SI.

Evid Based Complement Alternat Med. 2009; 17. [Epub ahead of print]

66. ○Postoperative concurrent nedaplatin-based chemoradiotherapy improves survival in early-stage cervical cancer patients with adverse risk factors.

Mabuchi S, Morishige KI, Isohashi F, Yoshioka Y, Takeda T, Yamamoto T, Yoshino K, Enomoto T, Inoue T, Kimura T.

Gynecol Oncol. 2009;115(3):482-7.

67. **○The herbal medicine Daikenchuto increases blood flow in the superior mesenteric artery.**
 Takayama S, Seki T, Watanabe M, Monma Y, Sugita N, Konno S, Iwasaki K, Takeda T, Yambe T, Yoshizawa M, Nitta S, Yaegashi N.
 Tohoku J Exp Med. 2009;219(4):319-30.

68. **Effectiveness of the Herbal Medicine, *Daikenchuto*, for Radiation-Induced Enteritis**
Takashi Takeda, Shouji Kamiura and Tadashi Kimura
 Journal of Alternative and Complementary Medicine 2008 ;14:753-755,

69. **Successful management of a leiomyomatosis peritonealis disseminata with aromatase inhibitor**
Takashi Takeda, Kanji Masuhara and Shouji Kamiura
 Obstetrics & Gynecology 2008;112(2 Pt 2):491-493

70. **Elevated level of plasma vascular endothelial growth factor after gonadotropin-releasing hormone agonist treatment for leiomyomata.**
Takeda T, Osuga K, Miyake A, Wakabayashi A, Morishige K, Kimura T.
 Gynecol Endocrinol. 2008;24(12):724-6.

71. **Relationship between metabolic syndrome and uterine leiomyomata: a case-control study**
Takeda, T. Sakata, M. Isobe, A. Miyake, A. Nishimoto, F. Ota, Y. Kamiura, S. Kimura, T.
 Gynecol Obstet Invest 2008;66: 14-17

72. **Dual repressive effect of angiotensin II-type 1 receptor blocker telmisartan on angiotensin II-induced and estradiol-induced uterine leiomyoma cell proliferation**
 Isobe, S. Takeda, T. Sakata, M. Miyake, A. Yamamoto, T. Minekawa, R. Nishimoto, F. Okamoto, Y. Walker, L. Kimura, T.
 Hum Reprod 2008;23: 440-446

73. **Hypoxia represses the differentiation of Rcho-1 rat trophoblast giant cells**
Takeda, T. Sakata, M. Isobe, A. Yamamoto, T. Nishimoto, F. Minekawa, R. Okamoto, Y. Tasaka, K. Murata, Y.
 Gynecol Obstet Invest 2007;63:188-194

74. **Involvement of Sp-1 in the regulation of the Id-1 gene during trophoblast cell differentiation**
Takeda, T. Sakata, M. Isobe, A. Yamamoto, T. Nishimoto, F. Minekawa, R. Hayashi, M. Okamoto, Y. Desprez, P. Tasaka, K. Murata, Y.
 Placenta 2007;28:192-198

75. **Involvement of RelA-associated inhibitor (RAI) in regulation of trophoblast differentiation via interaction with transcriptional factor Sp1**

Minekawa, R. Sakata, M. Okamoto, Y. Hayashi, M. Isobe, A. Takeda, T. Yamamoto, T. Koyama, M. Ohmichi, M. Tasaka, K. Imai, K. Okamoto, T. Murata, Y.
Endocrinol 2007;148:5803-5810

76. Prevalence of premenstrual syndrome and premenstrual dysphoric disorder in Japanese women

Takeda, T. Tasaka, K. Sakata, M. Murata, Y.
Arch Womens Ment Health 2006;9:209-212

77. STAT3-mediated constitutive expression of SOCS3 undifferentiated rat trophoblast-like cell line

Isobe, A. Takeda, T. Sakata, M. Yamamoto, T. Minekawa, R. Hayashi, M. Auernhammer, C. J. Tasaka, K. Murata, Y.
Placenta 2006;27:912-918

78. Intracavitary brachytherapy for carcinoma of the uterine cervix--comparison of HDR (Ir-192) and MDR (Cs-137)

Tanaka, E. Suzuki, O. Oh, R. Takeda, T. Teshima, T. Inoue, T. Inoue, T.
Radiat Med 2006;24:50-57

79. Changes of plasma vascular endothelial growth factor level after uterine artery embolisation for leiomyomata

Takeda, T. Osuga, K. Morishige, K. Tasaka, K. Nakamura, H. Murata, Y.
Brit J Obstet Gynecol 2005;112:1437-1439

80. Hypoxia up-regulates HIF-1 α expression through RhoA activation in trophoblast cells

Hayashi, M. Sakata, M. Takeda, T. Tahara, M. Yamamoto, T. Minekawa, R. Isobe, A. Tasaka, K. Murata, Y.
J Clin Endocrinol Metab 2005;90:1712-1719

81. Up-regulation of met expression through HIF-1 { α } is involved in trophoblast invasion under low-oxygen tension

Hayashi, M. Sakata, M. Takeda, T. Tahara, M. Yamamoto, T. Okamoto, Y. Minekawa, R. Isobe, A. Ohmichi, M. Tasaka, K. Murata, Y.
Endocrinol 2005;146:4682-4689

82. A case of general edema secondary to uterine artery embolization for leiomyomata

Takeda, T. Osuga, K. Morishige, K. Khankan, A. A. Tasaka, K. Murata, Y.
Brit J Obstet Gynaec 2004;111:179-180

83. Human milk induces fetal small intestinal cell proliferation-involvement of a different tyrosine kinase signaling pathway from epidermal growth factor receptor

Takeda, T. Sakata, M. Minekawa, R. Yamamoto, T. Hayashi, M. Tasaka, K. Murata, Y.

84. Induction of glucose transporter 1 expression through hypoxia-inducible factor 1 α under hypoxic conditions in trophoblast derived cell

Hayashi, M. Sakata, M. Takeda, T. Yamamoto, T. Sawada, K. Kimura, A. Minekawa, R. Tahara, M. Tasaka, K. Murata, Y.

J Endocrinol 2004;183:145-154

85. Human breast milk suppresses the transscrptional regulation of IL-1 α -induced NF- κ B signaling in human intestinal cells

Minekawa, R. Takeda, T. Sakata, M. Hayashi, M. Isobe, A. Yamamoto, T. Tasaka, K. Murata, Y.

Am J Physiol Cell physiol 2004;287:C1404-1411

86. Hyperreactio luteinalis associated with severe twin-to-twin transfusion syndrome.

Takeda T. Minekawa R, Makino M, Sugiyama T, Murata Y, Suehara N.

Gynecol Obstet Invest. 2002;53(4):243-6.

87. Antenatal diagnosis and treatment of a case of fetal goitrous hypothyroidism associated with high-output cardiac failure

Morine, M. Takeda, T. Minekawa, R. Sugiyama, T. Wasada, K. Mizutani, T. Suehara, N.

Ultrasound Obstet Gynecol 2002;19:506-509

88. Involvement of nuclear transcription factor Sp1 in regulating glucose transporter 1(GLUT1) gene expression during rat trophoblast differentiation

Okamoto, Y. Sakata, M. Yamamoto, T. Nishio, Y. Adachi, K. Ogura, K. Yamaguchi, M. Takeda, T. Tasaka, K. Murata, Y.

Biochem Biophys Res Commun 2001;288 : 940-948

89. Estrogen suppresses transcription of lipoprotein lipase gene

Homma, H. Kurachi, H. Nishio, Y. Takeda, T. Yamamoto, T. Adachi, K. Morishige, K. Ohmichi, M. Matsuzawa, Y. Murata, Y.

J Biol Chem 2001;275:11404-11411

90. Mitogen-activated protein kinase cascade is involved in endothelin-induced rat puerperal uterine contraction.

Kimura, A. Ohmichi, M. Takeda, T. Kurachi, H. Ikegami, H. Koike, K. Masuhara, K. Hayakawa, J. Kanzaki, T. Kobayashi, M. Akabane, M. Inoue, M. Miyake, A. Murata, Y.

Endocrinology 1999;140:722-731

91. Tyrosine phosphorylation of STAT3 by leptin through leptin receptor in mouse metaphase 2 stage

oocyte

Matsuoka, T. Tahara, M. Yokoi, T. Masumoto, N. Takeda, T. Yamaguchi, M. Tasaka, K. Kurachi, H. Murata, Y.
Biochem Bioph Res Commun 1999;256:480-484

92. **Crosstalk between the interleukin-6(IL-6)-JAK-STAT and the glucocorticoid-nuclear receptor pathway: synergistic activation of IL-6 response element by IL-6 and glucocorticoid**

Takeda, T. Kurachi, H. Yamamoto, T. Nishio, Y. Nakatsuji, Y. Morishige, K. Miyake, A. Murata, Y.
J Endocrinol 1998;159:323-330

93. **Human chorionic gonadotropin- α gene is transcriptionally activated by epidermal growth factor through cAMP response element in trophoblast cells**

Matsumoto, K. Yamamoto, T. Kurachi, H. Nishio, Y. Takeda, T. Homma, H. Morishige, K. Miyake, A. Murata, Y.
J Biol Chem 1998;273:7800-7806

94. **Alternative signaling mechanism of leukemia inhibitory factor responsiveness in a differentiating embryonal carcinoma cell**

Takeda, T. Kurachi, H. Yamamoto, T. Homma, H. Adachi, K. Morishige, K. Miyake, A. Murata, Y.
Endocrinology 1997;138:2689-2696

95. **Participation of JAK, STAT and unknown proteins in human placental lactogen-induced signaling: a unique signaling pathway different from prolactin and growth hormone**

Takeda, T. Kurachi, H. Yamamoto, T. Homma, H. Morishige, K. Miyake, A. Murata, Y.
J Endocrinol 1997;153:R1-R3

96. **Transforming growth factor- α promotes tumor markers secretion from human ovarian cancers in vitro**

Kurachi, H. Adachi, H. Morishige, K.-I. Adachi, K. Takeda, T. Homma, H. Yamamoto, T. Miyake, A.
Cancer 1996;78:1049-1054

97. **Epidermal growth factor but not transforming growth factor- α autocrine mechanism mediates estrogen-induced tubal cell growth in vitro**

Kurachi, H. Adachi, K. Yamamoto, T. Takeda, T. Morishige, K. Miyake, A.
In Vitro Biology of Sex Steroid Hormone Action (Edited H. e. a. Kuramoto), 242-250, Churchill Livingstone, 1996

98. **Changes in epidermal growth factor receptor and the levels of its ligands during menstrual cycle in**

human endometrium

Imai, T. Kurachi, H. Adachi, K. Adachi, H. Yoshimoto, Y. Homma, H. Tadokoro, C.
Takeda, T. Yamaguchi, M. Sakata, M. Sakoyama, Y. Miyake, A.
Biol Reprod 1995;52:928-938

99. Signal transduction through IL-6 receptor: Involvement of multiple protein kinases, stat factors, and a novel H7-sensitive pathway

Nakajima, K. Matsuda, T. Fujitani, Y. Kojima, H. Yamanaka, Y. Nakae, K. Takeda, T.
Hirano, T.
Ann NY Acad Sci 1995;762:55-70

100. Transcriptional activation of the IL-6 response element in the JUNB promoter is mediated by multiple stat family proteins

Fujitani, Y. Nakajima, K. Kojima, H. Nakae, K. Takeda, T. Hirano, T.
Biochem Biophys Res Commun 1994;202:1181-1187

101. Interleukin 6 receptor-mediated signal transduction pathways

Nakajima, K. Takeda, T. Fujitani, Y. Nakae, K. Kojima, H. Hirano, T.
Gann Monograph on Cancer Research 1994;42:37-49

102. E1A repression of IL-6-induced gene activation by blocking the assembly of IL-6 response element binding complexes

Takeda, T. Nakajima, K. Kojima, H. Hirano, T.
J Immunol 1994;153:4573-4582

103. Identification of a novel interleukin-6 response element containing an ets-binding site and a CRE-like site in the junB promoter

Nakajima, K. Kusafuka, T. Takeda, T. Fujitani, Y. Nakae, K. Hirano, T.
Mol Cell Biol 1994;13:3027-3041